

LINEAR ALGEBRA COMPREHENSIVE EXAM

Fall 2004, Prepared by Dr. Robert Gardner

December 3, 2004

NAME _____ STUDENT NUMBER _____

Be clear and **give all details**. Use symbols correctly (such as equal signs). The numbers in bold faced parentheses indicate the number of the topics covered in that problem from the Study Guide. **No calculators!** You may omit two problems. Indicate which two problems you are omitting: _____ and _____. There is a three hour time limit.

1. Prove that a linear system of equations with two different solutions has an infinite number of solutions. (**A1, A6, C7**)

2. Express solutions of the system

$$\begin{aligned}x_1 - 2x_2 + x_3 - x_4 &= 0 \\2x_1 - 3x_2 + 2x_3 - 3x_4 &= 0 \\3x_1 - 5x_2 + 3x_3 - 4x_4 &= 0 \\-x_1 + x_2 - x_3 + 2x_4 &= 0\end{aligned}$$

as the translation of a vector space. (**A1, A2, A3, A7, A9, B4**)

3. Consider the inner product space $C_{-\pi,\pi}$ of continuous functions on $[-\pi, \pi]$ with the inner product of f and g defined as

$$\langle f, g \rangle = \int_{-\pi}^{\pi} f(x)g(x) dx.$$

In the vector space $C_{-\pi,\pi}$ find the angle between $\cos x$ and $\sin x$. (**B8, B9, C15**)

4. Use the Schwarz Inequality, which states that for vectors \vec{v} and \vec{w} in an inner-product space we have $|\langle \vec{v}, \vec{w} \rangle| \leq \|\vec{v}\| \|\vec{w}\|$, to prove the Triangle Inequality in an inner-product space. (**B8, B10, C15**)

5. Find the projection of $[1, 2, 1, 2]$ onto the plane $x + y + z + w = 0$. (**B3, B7, B8, C17, C19**)

6. (a) What is the vector space \mathbb{R}^n ? (**B1**)
- (b) What is the difference between a point in \mathbb{R}^n and a vector in \mathbb{R}^n ? (**B3**)
- (c) What is a vector space isomorphism? (**C13**)
7. Consider the vector spaces $V = V' = \text{span}\{\cos x, \sin x\}$ with ordered bases $B = B' = \{\cos x, \sin x\}$. Let $T : V \rightarrow V'$ be defined as the differentiation operator. Find the matrix A that represents T relative to B, B' . (**C7, C8, C11, C15**)
8. Let W be a subspace of \mathbb{R}^n and let \vec{b} be a vector in \mathbb{R}^n . Show that there is one and only one vector \vec{p} in W such that $\vec{b} - \vec{p}$ is perpendicular to every vector in W . (**C4, C18, C19**)
9. Diagonalize $\begin{bmatrix} -3 & 5 \\ -2 & 4 \end{bmatrix}$ and find A^{100} . (**D1, D17, D18, D20, D22**)
10. (a) What is an elementary matrix? (**D7**)
- (b) Express A and A^{-1} as a product of elementary matrices where $A = \begin{bmatrix} 2 & 0 \\ 1 & 4 \end{bmatrix}$. (**D3, D7, D8, D9**)